

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/682,610	10/09/2003	Nicholas F. DiCamillo	22-0153	3256
32205 7590 01/24/2007 CARMEN B. PATTI & ASSOCIATES, LLC ONE NORTH LASALLE STREET 44TH FLOOR CHICAGO, IL 60602			EXAMINER	
			VUONG, QUOCHIEN B	
			ART UNIT	PAPER NUMBER
			2618	
				· .
SHORTENED STATUTOR	RY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
. 3 MONTHS		01/24/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)				
Office Action Commence	10/682,610	DICAMILLO ET AL.				
Office Action Summary	Examiner	Art Unit				
·	Quochien B. Vuong	2618				
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPI WHICHEVER IS LONGER, FROM THE MAILING [- Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the maili earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be time to the second will expire SIX (6) MONTHS from the cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on 09 of	October 2003					
	is action is non-final.					
<i>,</i> —	·—					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-13</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-13</u> is/are rejected.	6)⊠ Claim(s) <u>1-13</u> is/are rejected.					
7) Claim(s) is/are objected to.	·					
8) Claim(s) are subject to restriction and/	or election requirement.					
Application Papers	•					
9) The specification is objected to by the Examin	er.					
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the E	examiner. Note the attached Office	e Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of:	n priority under 35 U.S.C. § 119(a)-(d) or (f).				
 Certified copies of the priority documer 	nts have been received.					
	- · · · · · · · · · · · · · · · · · · ·					
Copies of the certified copies of the price	ority documents have been receiv	ed in this National Stage				
application from the International Burea	, , , ,					
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)	_					
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date Notice of Informal Patent Application Paper No(s)/Mail Date 04/06/05. Other:						

Application/Control Number: 10/682,610 Page 2

Art Unit: 2618

DETAILED ACTION

Information Disclosure Statement

1. The information disclosure statement (IDS) submitted on 04/06/2005 is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement is being considered by the examiner.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 1-13 are rejected under 35 U.S.C. 102(b) as being anticipated by Norin (US 6,173,155).

Regarding claim 1, Norin (column 2, line 62 – column 4, line 10) discloses a method of processing a signal with frequencies within a frequency band having a bandwidth B, the signal including a plurality of messages, each message having frequencies within a unique frequency band, where the frequency bands of the plurality of messages occupy the bandwidth B, and where messages with adjacent frequency bands may have different bandwidths, said method comprising: receiving the signal (column 5, lines 17-29); separating the signal into groups of messages having frequency bands with the same bandwidth, all messages in any group occupy non-

Application/Control Number: 10/682,610

Art Unit: 2618

adjacent frequency bands (column 5, lines 49-53); combining the messages of each group (column 5, lines 53-57); applying each combined group of messages to a separate amplifier to amplify each combined group of messages (column 5, lines 57-61); and separating each amplified group of messages into separate messages (column 6, lines 6-15).

Regarding claim 2, Norin discloses transmitting each separated message to a respective receiving station (column 6, lines 6-15).

Regarding claim 3, Norin (column 2, line 62 – column 4, line 10) discloses a method of communicating a plurality of messages from an originating station, through a relaying station, to a plurality of receiving stations, said method comprising transmitting the plurality of messages from the originating station to the relaying station in a signal with frequencies within a frequency band having a bandwidth B, with each message having frequencies within a unique frequency band, where the frequency bands of the plurality of messages occupy the bandwidth B, and where messages with adjacent frequency bands may have different bandwidths (column 5, lines 17-42); and at the relaying station: separating the messages into groups of messages having the same bandwidth, where all messages in any group occupy non-adjacent frequency bands (column 5, lines 49-53); combining the messages of each group(column 5, lines 53-57); applying each combined group of messages to a separate amplifier to amplify each combined group of messages(column 5, lines 57-61); separating each amplified group of messages into separate messages (column 6, lines 6-15); and transmitting each separated message to a respective receiving station (column 6, lines 6-15).

Regarding claim 4, Norin (column 2, line 62 – column 4, line 10) discloses an article, comprising a storage medium having instructions stored thereon, the instructions when executed processing a signal with frequencies within a frequency band having a bandwidth B, the signal including a plurality of messages, each message having frequencies within a unique frequency band, where the frequency bands of the plurality of messages occupy the bandwidth B, and where messages with adjacent frequency bands may have different bandwidths, the instructions processing the signal by receiving the signal (column 5, lines 17-29); separating the signal into groups of messages having frequency bands with the same bandwidth, where all messages in any group occupy non-adjacent frequency bands (column 5, lines 49-53); combining the messages of each group (column 5, lines 53-57); applying each combined group of messages to a separate amplifier to amplify each combined group of messages (column 5, lines 57-61); and separating each amplified group of messages into separate messages (column 6, lines 6-15).

Regarding claim 5, Norin discloses wherein the instructions when executed further transmit each separated message to a respective receiving station (column 6, lines 6-15).

Regarding claim 6, Norin (column 2, line 62 – column 4, line 10) discloses an article, comprising a storage medium having instructions stored thereon, the instructions when executed communicating a plurality of messages from an originating station, through a relaying station, to a plurality of receiving stations, the instructions communicating the messages by transmitting the plurality of messages from the

Art Unit: 2618

originating station to the relaying station in a signal with frequencies within a frequency band having a bandwidth B, with each message having frequencies within a unique frequency band, where the frequency bands of the plurality of messages occupy the bandwidth B, and where messages with adjacent frequency bands may have different bandwidths (column 5, lines 17-42); and at the relaying station separating the messages into groups of messages having the same bandwidth, where all messages in any group occupy non-adjacent frequency bands (column 5, lines 49-53); combining the messages of each group (column 5, lines 53-57); applying each combined group of messages to a separate amplifier to amplify each combined group of messages (column 5, lines 57-61); separating each amplified group of messages into separate messages (column 6, lines 6-15); and transmitting each separated message to a respective receiving station (column 6, lines 6-15).

Regarding claim 7, Norin (column 2, line 62 – column 4, line 10; and figure 4) discloses an apparatus for processing a signal with frequencies within a frequency band having a bandwidth B, the signal including a plurality of messages, each message having frequencies within a unique frequency band, where the frequency bands of the plurality of messages occupy the bandwidth B, and where messages with adjacent frequency bands may have different bandwidths, said apparatus comprising: an antenna to receive the signal (column 5, lines 17-25); a first demultiplexor to separate the messages (column 5, lines 49-53); a filter unit to filter and group the separated messages into groups of messages having the same bandwidth, where all messages in a group occupy non-adjacent frequency bands (column 5, lines 49-53); a combining

Application/Control Number: 10/682,610

Art Unit: 2618

circuit to combine the messages of each group (column 5, lines 53-57); an amplifier for each group of messages to amplify each combined group of messages (column 5, lines 57-61); and a second demultiplexor to separate each amplified group of messages into separate messages (column 6, lines 6-15).

Regarding claim 8, Norin discloses wherein the amplifier comprises a traveling wave tube amplifier (column 5, lines 57-61).

Regarding claim 9, Norin discloses a transmitting antenna to transmit the separated messages (column 6, lines 13-15).

Regarding claim 10, Norin discloses an earth-orbiting satellite (column 5, lines 17-25).

Regarding claim 11, Norin (column 2, line 62 – column 4, line 10; and figure 4) discloses a communication system, comprising: an originating station to transmit a signal including a plurality of messages, the signal having frequencies within a frequency band having a bandwidth B, with each message having frequencies within a unique frequency band, where the frequency bands of the plurality of messages occupy the bandwidth B and where messages with adjacent frequency bands may have different bandwidths; a plurality of receiving stations to receive the plurality of messages (column 5, lines 17-25); and a relaying station including an antenna to receive the signal, a first demultiplexor to separate the messages (column 5, lines 49-53), a filter unit to filter and group the separated messages into groups of messages having the same bandwidth, where all messages in any group occupy non-adjacent frequency bands (column 5, lines 49-53), a combining circuit to combine the messages of each

Art Unit: 2618

group (column 5, lines 53-57), an amplifier for each group of messages to amplify each combined group of messages (column 5, lines 57-61), a second demultiplexor to separate each amplified group of messages into separate messages (column 6, lines 6-15), and means for transmitting the separated messages to their respective receiving stations (column 6, lines 6-15).

Regarding claim 12, Norin discloses wherein the amplifier comprises a traveling wave tube amplifier (column 5, lines 57-61).

Regarding claim 13, Norin discloses an earth-orbiting satellite (column 5, lines 17-25).

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Quochien B. Vuong whose telephone number is (571) 272-7902. The examiner can normally be reached on M-F 9:30-18:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Urban can be reached on (571) 272-7899. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/682,610 Page 8

Art Unit: 2618

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

QUOCHIEN B. VUONG
PRIMARY EXAMINER

Quochien B. Vuong Jan. 22, 2007.